



-

**10392—89**

Пункт 2.1. Примечания  
к табл. 2 и 3. Примеча-  
ние 3

\*

напора

(ИУС №





( ) 1/35,5 ( ) 1,8/40 ( ) 4/28 ( ) 5/32	3,6(1) 6,5(1,8) 14,4(4,0) 18,0(5,0)	35,5 40 28 32	6 6,5 5 6,5	4 3,5 4 3,5	35 38 41 39	49 (2950) 24 (1450)	17,4 20,5 29,5 33,6
4/112 5/125 6,3/160	14,4(4,0) 18,0(5,0) 22,7(6,3)	112 125 160	2,6 2,8 3,0	·	40 43 44	(£) ( 4 )	87,2

( ) 2/26 ( ) 4/24 ( ) 5/24 ( ) 1C'45	7,2 (2,0) 14,4(4,0) 18,0(5,0) 36,0(10,0)	26 24 24 45	5 6 6,5 7,0	4 3,5 3,0	33 41 38 35	24 (1450)	31 34 35,7 46

. 2 3:

1. 293 (20° ).
2. . 2
- 3.
4. : ±8%, +6%.
- 5.
6. . 2 3.

1,1


3%

2.4.  
60 .

2.5.

2.

1



Черт. 1

